Click for a hub of Extension resources related to the current COVID-19 situation. COVID-19 Resources

	 73.	Jan. 1	. % 5	
16.53	 74.63W	8 .376	ps Newsletter	•

Menu

Application Timing is Critical With Auxin Herbicides

Posted on March 9, 2018 by I-francis

by Josh McGinty – Extension Agronomist, Corpus Christi, TX; Scott Nolte – State Extension Weed Specialist, College Station, TX; Peter Dotray – Extension Weed Specialist, Lubbock, TX; Muthu Bagavathiannan – Research Weed Scientist, College Station, TX; Gaylon Morgan – State Extension Cotton Specialist, College Station, TX

With the introduction of new formulations of 2,4-D (Enlist One and Enlist Duo) and dicamba (XtendiMax, Engenia, and FeXapan) for use in Enlist and XtendFlex cotton, growers now have more options for controlling emerged broadleaf weeds, especially those that may be resistant to glyphosate. While these herbicides can provide excellent weed control, it is important to remember that the efficacy of these products (as well Liberty and other glufosinate formulations) is very dependent on weed size. Of particular concern are the Amaranthus weeds, Palmer amaranth and common waterhemp, which can easily grow more than an inch per day under prime growing conditions in the spring and summer. The labels of Enlist One and Enlist Duo recommend targeting weeds that are between 3 and 6 inches tall. For XtendiMax, FeXapan, and Engenia, the labels recommend applications be made to weeds less than 4 inches tall. While Liberty is not an auxinic herbicide, its effectiveness is also very much dependent on weed size and its label recommends treating weeds less than 3 inches tall. If weeds are allowed to grow beyond these sizes, they will be much more difficult (if not impossible) to control through chemical means alone.

In 2017, a series of experiments were conducted at Corpus Christi, TX to investigate the efficacy of 2,4-D and dicamba on Palmer amaranth of various sizes. Applications of 0.95 lb 2,4-D/A (equivalent to 4.75 pints of Enlist Duo, or 2.0 pints of Enlist One) and 0.5 lb/A dicamba (equivalent to 22 fl oz of XtendiMax or FeXapan, or 12.8 fl oz of Engenia) were made to weeds which were 4, 8, and 16 inches tall. In this case, these applications were made exactly 7 days apart, indicating that Palmer amaranth was doubling in height every week. Applications were made with TeeJet TTI nozzles at a total spray volume of 10 GPA (it is important to note that the revised labels of XtendiMax and FeXapan now recommend a minimum of 15 GPA). Weed control evaluations made 28 days after application revealed that 2,4-D provided 97% control of 4 inch tall Palmer amaranth, and control decreased to 87% and 78% when applied on 8 and 16 inch weeds, respectively (Figure 1). A similar trend was observed when using dicamba, where 98% control of 4 inch tall weeds was achieved, but control of 8 and 16 inch weeds decreased to 75% and 67%, respectively (Figure 2).

These results are consistent with field observations of several AgriLife Extension and Research faculty statewide, that large weeds are often much more difficult to control, and that timely application of any postemergence herbicide is critical for achieving acceptable levels of weed control. As can be seen from the aforementioned experiment, the delay of an application by just a few days can make the difference between excellent weed control and a control failure.




Figure 1. Control of Palmer amaranth with 0.95 lb/A 2, 4-D, 28 days after treatment.





Figure 2. Control of Palmer amaranth with 0.5 lb/A dicamba, 28 days after treatment.



Josh McGinty Assistant Professor & Extension Agronomist Corpus Christi, TX jmcginty@tamu.edu

This entry was posted in 2018, Archive, March 2018. Bookmark the permalink.

About



A unique education agency, the Texas A&M AgriLife Extension Service teaches Texans wherever they live, extending research-based knowledge to benefit their families and communities.

Popular Links



County Extension Offices

Research and Extension Centers

Contact Directory


Media Contacts

Texas 4-H and Youth Dev.

Strategic Plan and Impacts

Employment Opportunities

Required Links



Compact with Texans

Privacy and Security

Accessibility Policy

State Link Policy

Statewide Search

Equal Opportunity

Veterans Benefits

Military Families

Risk, Fraud & Misconduct Hotline

Texas Homeland Security

Veteran's Portal

Financial Disclosures

Open Records/Public Information

Contact



AgriLife Bookstore



AgriLife Extension's online Bookstore offers educational information and resources related to our many areas of expertise and programming; from agriculture, horticulture, and natural resources to nutrition, wellness for families and youth, and much more.